ERRATUM Open Access



Erratum to: Design and pilot validation of A-gear: a novel wearable dynamic arm support

Peter N. Kooren^{1*}, Alje G. Dunning^{2,3}, Mariska M. H. P. Janssen⁴, Joan Lobo-Prat⁵, Bart F. J. M. Koopman⁵, Micha I. Paalman¹, Imelda J. M. de Groot⁴ and Just L. Herder^{2,6}

Unfortunately, the original version of this article [1] contained an error. Equation 6 was included incorrectly: in the original equation variable s_{links3} was missing. The correct Equation 6 can be found below:

The correct Equation o can be round

$$s_3 = \frac{m_{FA} \cdot s_{FA} + m_{link3} \cdot s_{link3}}{m_3}$$

Author details

¹Department of Physics and Medical Technology, VU Medical Center, Amsterdam, The Netherlands. ²Department of Precision & Microsystems Engineering, Delft University of Technology, Delft, The Netherlands. ³Department of Biomechanical Engineering, Delft University of Technology, Delft, The Netherlands. ⁴Department of Rehabilitation, Donders Center for Neuroscience, Radboud University Medical Center, Nijmegen, The Netherlands. ⁵Department of Biomechanical Engineering, University of Twente, Enschede, The Netherlands. ⁶Department of Mechanical Automation, University of Twente, Enschede, The Netherlands.

Received: 26 November 2015 Accepted: 26 November 2015 Published online: 04 December 2015

References

 Kooren PN, Dunning AG, Janssen MM, Lobo-Prat J, Koopman BF, Paalman MI, et al. Design and pilot validation of A-gear: a novel wearable dynamic arm support. J Neuroeng Rehabil. 2015;12:83.

¹Department of Physics and Medical Technology, VU Medical Center,

Full list of author information is available at the end of the article

Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at www.biomedcentral.com/submit





* Correspondence: p.kooren@vumc.nl

Amsterdam, The Netherlands