

CORRECTION Open Access

# Correction: Testing the potential of a virtual reality neurorehabilitation system during performance of observation, imagery and imitation of motor actions recorded by wireless functional near-infrared spectroscopy (fNIRS)

Lisa Holper<sup>1,2\*</sup>, Thomas Muehlemann<sup>1,3</sup>, Felix Scholkmann<sup>1</sup>, Kynan Eng<sup>2</sup>, Daniel Kiper<sup>2</sup> and Martin Wolf<sup>1</sup>

# Correction

Following publication of our article [1], we realised that some of the statistical tests used were not appropriate. We have now conducted the appropriate statistical tests, and updated the relevant tables, figures five and six (Figures 1 and 2 here, respectively) and conclusions accordingly.

For both the unilateral and the bilateral groups, analyses were recalculated.

## Intra-condition differences:

- original publication [1]: paired *t*-test using means per trial for unilateral and bilateral group
- update: one-way repeated measures ANOVA using means per subject for unilateral and bilateral group

# Inter-condition differences:


• original publication [1]: one-way ANOVA using means per trial for unilateral and bilateral group

• update: one-way repeated measures ANOVA using means per subject for unilateral and bilateral group

#### **Conclusions**

For the unilateral group (Table 1 and Figure 1), no changes in significance levels were found in  $\Delta[O_2Hb]$ signals. For the bilateral group (Table 2 and Figure 2), the main differences compared to the original publication are that the intra-condition differences ([O<sub>2</sub>Hb]<sub>rest</sub> versus [O<sub>2</sub>Hb]<sub>stim</sub>) for the two conditions 'Observation Right' (O R, p = 0.077) and 'Observation Left' (O L, p = 0.080) recorded over the ipsilateral hemisphere do not reach significant level any more. Hence, the paragraphs discussing the intra-condition significances in those two conditions (sections Observation, imagery and imitation and Bilateral oxygenation of the Discussion) are only applicable for the contralateral hemisphere. Further, in both groups changes in significance levels were found for  $\Delta$ [HHb]. However, since the *Discus*sion and Conclusion of the originally published article only focuses on the concentration changes found in  $\Delta[O_2Hb]$ , this aspect does not change these sections.

<sup>&</sup>lt;sup>2</sup>Institute of Neuroinformatics (INI), University of Zurich and ETH Zurich, Winterthurerstrasse 190, 8057, Zurich, Switzerland





<sup>\*</sup> Correspondence: holper@ini.phys.ethz.ch

<sup>&</sup>lt;sup>1</sup>Biomedical Optics Research Laboratory (BORL), Division of Neonatology, Department of Obstetrics and Gynecology, University Hospital Zurich, Frauenklinikstrasse 10, 8091, Zurich, Switzerland




Figure 1 Unilateral group recorded over contralateral hemisphere: shown are the  $\Delta[O_2Hb]$  amplitude changes with standard error of the mean (SEM) and statistical significances of repeated measures ANOVA.




Figure 2 Bilateral group recorded over contra- (dark gray) and ipsilateral (light gray) hemisphere: shown are the  $\Delta[O_2Hb]$  amplitude changes with standard error of the mean (SEM) and statistical significances of repeated measures ANOVA.

Table 1 Unilateral group

Unilateral group [N = 15]	Observation	Motor imagery	Observation & motor imagery	Imitation
Left hemisphere (contralateral) (μι	mol/l ± SD)			
Mean Δ [O <sub>2</sub> Hb]	0.06953 ± 0.1800	0.0833 ± 0.1404	0.0460 ± 0.2218	0.2309 ± 0.3212
Mean Δ [HHb]	-0.0051 ± 0.03855	0.0356 ± 0.0771	$-0.0089 \pm 0.0963$	0.0079 ± 0.0832
Intra-condition, ANOVA, repeated me	easures			
[O <sub>2</sub> Hb] rest-stim	p = 0.157	p = 0.037*	p = 0.435 $p = 0.015*$	
[HHb] rest-stim	p = 0.612	p = 0.097	p = 0.727	p = 0.717
Inter-condition ANOVA, repeated me	asures, post-hoc-tests, Bonferroni 0.05	$\Delta$ [HHb]	$\Delta$ [O <sub>2</sub> Hb]	
	O – MI	p = 0.347	p = 1.000	
	O – O&MI	p = 1.000	p = 1.000	
	O – IM	p = 1.000	p = 0.286	
	MI – O&MI	p = 0.132	p = 1.000	
	MI – IM	p = 1.000	p = 0.622	
	O&MI – IM	p = 1.000	p = 0.321	
Main effect on condition		p = 0.253	p = 0.062	

(Top) Mean signal amplitudes ( $\mu$ mol/l  $\pm$  SD) of channels with significant concentration changes. Separate calculations for increases in [O<sub>2</sub>Hb], decreases in [HHb] in response to the four conditions for each group. Numbers were rounded to four decimal places. (Middle) Intra-condition statistical significance of the mean changes between [O<sub>2</sub>Hb]<sub>rest</sub> and [O<sub>2</sub>Hb]<sub>stim</sub> and [HHb]<sub>rest</sub> and [HHb]<sub>stim</sub> repeated measures ANOVA. (Bottom) Inter-condition statistical significance of mean changes of  $\Delta$  [O<sub>2</sub>Hb] and  $\Delta$  [HHb] between the four conditions using repeated measures ANOVA. Shown are post-hoc tests (with Bonferroni correction); significant values (p  $\leq$  0.05) are highlighted by \* (observation = O, motor imagery = MI, observation & motor imagery = O & MI, imitation = IM).

Table 2 Bilateral group

Bilateral group [N = 8]	Observation right	Observation left	Imitation right	Imitation left
Left hemisphere (contralateral) (	μmol/l ± SD)			
Mean Δ [O <sub>2</sub> Hb]	0.1231 ± 0.1506	0.1231 ± 0.1507	0.3941 ± 0.4598	0.3715 ± 0.4289
Mean Δ [HHb]	-0.0056 ± 0.0676	$-0.0408 \pm 0.0915$	0.0371 ± 0.1131	0.0474 ± 0.0665
Intra-condition, ANOVA, repeated r	measures			
[O <sub>2</sub> Hb] rest-stim	p = 0.044*	p = 0.047*	p = 0.025*	p = 0.038*
[HHb] rest-stim	p = 0.821	p = 0.247	p = 0.384	p = 0.084
Inter-condition, ANOVA, repeated measures, post-hoc-tests, Bonferroni 0.05		$\Delta$ [HHb]	$\Delta$ [O <sub>2</sub> Hb]	
	O_R - O_L	p = 1.000	p = 1.000	
	O_R – IM_R	p = 1.000	p = 0.519	
	O_R – IM_L	p = 1.000	p = 0.862	
	OL IM_R	p = 0.227	p = 0.486	
	O_L – IM_L	p = 0.223	p = 0.777	
	IM_R – IM_L	p = 1.000	p = 1.000	
Main effect on condition		p = 0.072	p = 0.119	
Right hemisphere (ipsilateral) (μ	mol/I ± SD)			
Mean $\Delta$ [O <sub>2</sub> Hb]	0.1541 ± 0.0735	0.1957 ± 0.1957	0.4036 ± 0.2097	1.3728 ± 1.6143
Mean Δ [HHb]	-0.0113 ± 0.0334	0.0068 ± 0.0274	0.0235 ± 0.0402	0.7016 ± 1.9167
Intra-condition, ANOVA, repeated r	measures			
[O <sub>2</sub> Hb] rest-stim	p = 0.077	p = 0.080 $p = 0.002*$		p = 0.032*
[HHb] rest-stim	p = 0.367	p = 0.502	p = 0.142	p = 0.335
Inter-condition, ANOVA, repeated measures, post-hoc-tests, Bonferroni 0.05		$\Delta$ [HHb]	$\Delta [O_2Hb]$	
	O_R - O_L	p = 1.000	p = 1.000	
	O_R – IM_R	p = 0.445	p = 0.014*	
	O_R – IM_L	p = 1.000	p = 0.324	
	OL IM_R	p = 1.000	p = 0.015*	
	O_L – IM_L	p = 1.000	p = 0.231	
	IM_R – IM_L	p = 1.000	p = 0.710	
Main effect on condition		p = 0.384	p = 0.008*	

(Top) Mean signal amplitudes ( $\mu$ mol/l  $\pm$  SD) of channels with significant concentration changes. Separate calculations for increases in [O<sub>2</sub>Hb], decreases in [HHb] in response to the four conditions for each group. Numbers were rounded to four decimal places. (Middle) Intra-condition statistical significance of the mean change between [O<sub>2</sub>Hb]<sub>rest</sub> and [O<sub>2</sub>Hb]<sub>stim</sub> and [HHb]<sub>rest</sub> and [HHb]<sub>stim</sub> using repeated measures ANOVA. (Bottom) Inter-condition statistical significance of mean changes of  $\Delta$  [O<sub>2</sub>Hb] and  $\Delta$  [HHb] between the four conditions using repeated measures ANOVA. Shown are post-hoc tests (with Bonferroni correction); significant values (p  $\leq$  0.05) are highlighted by \* (observation left = O\_L, observation right = O\_R, imitation left = IM\_L, imitation right = IM\_R).

Received: 1 February 2013 Accepted: 1 February 2013 Published: 8 February 2013

#### Reference

 Holper L, et al: Testing the potential of a virtual reality neurorehabilitation system during performance of observation, imagery and imitation of motor actions recorded by wireless functional nearinfrared spectroscopy (fNIRS). J Neuroeng Rehabil 2012, 7:57.

### doi:10.1186/1743-0003-10-16

Cite this article as: Holper et al.: Correction: Testing the potential of a virtual reality neurorehabilitation system during performance of observation, imagery and imitation of motor actions recorded by wireless functional near-infrared spectroscopy (fNIRS). Journal of NeuroEngineering and Rehabilitation 2013 10:16.

# Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit

